



# Aerosol Oven Cleaner

---

<b><u>COMPOUND</u></b>	<b><u>%</u></b>
Water	68.50
Sodium Hydroxide (50% solution)	9.00
Bentone EW	1.50
Triethanolamine (99%)	5.00
Glycol Ether TPM	8.00
Colonial ZF-20 (Surfactant)	0.50
Cola <sup>®</sup> Cor AER (Corrosion Inhibitor)	0.50
A-31 (isobutane)	<u>7.00</u>
<b>Total</b>	<b>100.00</b>

Add ingredients in order with constant agitation. Small amounts of Rheolate 425 may be added to increase viscosity if desired. Fragrance may be added also.

---

LAST UPDATED 07/19/2006

FORMULA NUMBER: 189

**WARRANTY**

Colonial Chemical guarantees that its products meet published specifications. No other warranties or guarantees are expressed or implied because the use of this material is beyond the control of Colonial Chemical.

**Colonial Chemical, Inc.**

[www.colonialchem.com](http://www.colonialchem.com)



**ColonialChemical, Inc.**