



Automatic Dishwashing Liquid

<u>COMPOUND</u>	<u>% WT.</u>
Water	44.5
Gelwhite GP (Southern Clay)	3.0
Sodium Hydroxide (50%)	3.0
Sodium Metasilicate (Anhydrous)	15.0
Sodium Carbonate	6.0
Sodium Tripolyphosphate	18.0
Sodium Hypochlorite (12%)	8.5
Colonial ZF-15	2.0
TOTAL	100

PROCEDURE:

Blend Gelwhite GP in 60°C water. Add sodium hydroxide, sodium metasilicate, sodium carbonate and sodium tripolyphosphate with rapid agitation. Cool to room temperature, add sodium hypochlorite and Colonial ZF-15. Agitate until uniform.

LAST UPDATED 07/19/2006

FORMULA NUMBER: 094

WARRANTY

Colonial Chemical guarantees that its products meet published specifications. No other warranties or guarantees are expressed or implied because the use of this material is beyond the control of Colonial Chemical.

Colonial Chemical, Inc.

www.colonialchem.com



ColonialChemical, Inc.