



# Conditioning After Shave Toner

|     | <u>COMPOUND</u>            | <u>Wt%</u> |
|-----|----------------------------|------------|
| I.  | Water                      | 51.00      |
|     | Carbomer 940               | 0.35       |
|     | Phenyl Dimethicone         | 2.00       |
|     | Triethanolamine (99%)      | 0.60       |
| II. | Water                      | 30.05      |
|     | Cola <sup>®</sup> Lipid ST | 1.00       |
|     | SD3A Alcohol               | 15.00      |
|     | Total                      | 100.00     |

## PROCEDURE:

- Part I.** Slurry Carbomer 940 into water by first mixing it with Phenyl Dimethicone. Allow to mix until homogeneous. When Part II is ready, neutralize Part I with TEA. Add Part II and blend together until a smooth lotion is formed.
- Part II.** Mix water and Cola<sup>®</sup>Lipid ST. Heat to 65½°C with agitation until the Cola<sup>®</sup>Lipid ST is dissolved. Cool to 30 - 40½°C and add SD3A alcohol. Add to Part I.

LAST UPDATED 07/19/2006

FORMULA NUMBER: 122

### WARRANTY

Colonial Chemical guarantees that its products meet published specifications. No other warranties or guarantees are expressed or implied because the use of this material is beyond the control of Colonial Chemical.

## **Colonial Chemical, Inc.**

[www.colonialchem.com](http://www.colonialchem.com)

225 Colonial Drive  
South Pittsburg, TN 37380

Ph: 423-837-8800  
Fax: 423-837-3888



ColonialChemical, Inc.