



Deodorant Stick

<u>COMPOUND</u>	<u>Wt%</u>
Stearic Acid	8.00
Ethanol	73.63
Propylene Glycol	10.00
Isopropyl Palmitate	5.00
Cola [®] Lipid C	1.00
Sodium Hydroxide 50%	2.37
Total	100.00

PROCEDURE:

Blend ingredients together except the sodium hydroxide. Heat and agitate to 65 - 70½°C, then slowly neutralize the stearic acid with the sodium hydroxide 50% and continue mixing until clear. Cool slightly to 70½°C. Add fragrance and color.

TYPICAL PROPERTIES:

Physical Appearance - Translucent solid

LAST UPDATED 07/19/2006

FORMULA NUMBER: 129

WARRANTY

Colonial Chemical guarantees that its products meet published specifications. No other warranties or guarantees are expressed or implied because the use of this material is beyond the control of Colonial Chemical.

Colonial Chemical, Inc.

www.colonialchem.com

225 Colonial Drive
South Pittsburg, TN 37380

Ph: 423-837-8800
Fax: 423-837-3888



ColonialChemical, Inc.