



Hand Soap With Poly Suga[®]Pearl

<u>Compound</u>	<u>Weight %</u>
Water	53.0
Suga [®] Nate 160	18.1
Sodium Methyl Cocoyl Taurate	10.9
Cola [®] Teric LMB	7.2
Cola [®] Moist 200	6.1
Poly Suga [®] Pearl	4.6
Methyl Isothiazolinone	0.1

Instructions: This formulation can be made by the simple sequential addition of the ingredients in the order shown with sufficient agitation. Do not add Poly Suga[®]Pearl to a heated formulation as this will reduce the intensity of the pearl. Add color, fragrance, and preservative as desired, check physical properties after these adjustments.

Appearance: Opaque liquid
10% pH: Adjust to 5.5 – 6.5 with 50% citric acid as needed.

Viscosity: 2600 cps.

LAST UPDATED 11/24/2009

FORMULA NUMBER: 257

WARRANTY

Colonial Chemical guarantees that its products meet published specifications. No other warranties or guarantees are expressed or implied because the use of this material is beyond the control of Colonial Chemical.

Colonial Chemical, Inc.

www.colonialchem.com



ColonialChemical, Inc.