

# SYNTHETIC CUTTING FLUID

---

<u>COMPOUND</u>	<u>% WT.</u>
Water	84.5
Cola <sup>®</sup> Cor AER	3.0
Triethanolamine	1.5
Cola <sup>®</sup> Cor RP	5.0
Glycol ether DPnB	<u>6.0</u>
TOTAL	100.0

This liquid may be used as an aerosol with DME propellant. Also, tests indicate that CO<sub>2</sub> may be used with NO corrosive acid formation in aerosols.

Formula 073

Last Modified 07/27/2006

#### WARRANTY

Colonial Chemical guarantees that its products meet published specifications. No other warranties or guarantees are expressed or implied because the use of this material is beyond the control of Colonial Chemical.