



Shampoo

Featuring Suga®Nate 160

<u>Phase</u>	<u>Compound</u>	<u>Weight %</u>
A	Water	21.75
A	Mineralizer (Water & Montmorillonite)	2.00
B	Glucovis 50 (Mannan & Xanthan Gum)	0.10
C	Suga®Nate 160	70.00
C	Cocoamidopropyl Betaine	5.00
D	Fragrance	0.15
E	Euxyl K712 (Water & SodiumBenzoate & Potassium Sorbate)	<u>1.00</u>
		100.00

PROCEDURE

Charge Phase A ingredients into main vessel. Stir while heating to 80°C. At 80°C, sprinkle in Phase B. Mix uniformly until dispersed. Then homogenize the batch for 10 minutes or until the batch is completely uniform in appearance. Switch to impeller mixing and remove the batch from heat. Add Phase C ingredients, mixing to uniformity after each addition. At 40C, add Phases D and E ingredients, mixing batch to uniformity after each addition. Continue mixing the batch until it is completely cooled to R/T. Fill.

VOV004-58-1