



Stable Aluminum Cleaner

<u>Compound</u>	<u>Wt%</u>
Water	62.50
KOH (45%)	5.00
Tetrapotassium Pyrophosphate	2.50
Kasil #1	25.00
Colonial ZF-10	5.00
TOTAL	100.0

PROCEDURE:

Blend in order listed.

PROPERTIES:

Appearance	Clear Liquid
Recommended use dilution	Aluminum safe 1:10 and 1:30
Cloud Point	60°C
Krafft Point	0°C

LAST UPDATED 07/21/2006

FORMULA NUMBER: 016

WARRANTY

Colonial Chemical guarantees that its products meet published specifications. No other warranties or guarantees are expressed or implied because the use of this material is beyond the control of Colonial Chemical.

Colonial Chemical, Inc.

www.colonialchem.com



ColonialChemical, Inc.