

Aerosol Carpet Shampoo (low foam)

<u>COMPOUND</u>	<u>%</u>
Tetrapotassium pyrophosphate	0.10
EDTA, Na ₄	0.10
COLA™ TERIC MSC-NA	0.20
COLONIAL TDS-65	0.08
DX Water	89.52
Dimethyl Ether	10.00

To increase foaming, change propellant to A-46 and reduce the amount to 6%. Make up the difference in water.

Use unlined, tinplated aerosol cans. COLA™ COR AER can be added at the rate of 0.25% for extra corrosion resistance.

Formula 003

Last Modified 06/22/2005

WARRANTY

Colonial Chemical guarantees that its products meet published specifications. No other warranties or guarantees are expressed or implied because the use of this material is beyond the control of Colonial Chemical.