

# AEROSOL METAL & PLASTIC POLISH

---

<u>COMPOUND</u>	<u>% WT.</u>
SM2133 Silicone	3.00
SM2135 Silicone	2.00
COLA™ COR 600	0.80
Ammonium Hydroxide	0.05
Water	89.15
A-31 Propellant	<u>5.00</u>
TOTAL	100.00

Add up to 1% Michem Lube 155 (wax emulsion) for a carnauba wax finish that can be buffed. If other wax emulsions are used, they should be non-ionic.

Spray on – wipe off. Shake well before using.

Cleans and polishes in one step. Will not hurt metal, paint, rubber, plastic, auto tires or other non-porous surfaces.

Last Modified 06/22/2005

## WARRANTY

Colonial Chemical guarantees that its products meet published specifications. No other warranties or guarantees are expressed or implied because the use of this material is beyond the control of Colonial Chemical.