

CONDITIONING SHAMPOOS

FORMULA 1

<u>COMPOUND</u>	<u>% WT.</u>
Water	45.35
COLONIAL SLES-2	20.00
COLA™ TERGE 6411	20.00
Trisodium Lauroampho PG Acetate Phosphate Chloride	10.00
Dimethicone	2.50
Glycol Distearate	1.00
COLA™ MID CMA	1.00
Sodium Chloride	<u>0.15</u>
TOTAL	100.00

PROCEDURE: Add ingredients in order listed with agitation. Heat to 70°C. Cool to 40°C. Adjust pH to 5.5 to 6.0 with 50% citric acid. Add fragrance, color and preservative as required.

TYPICAL PROPERTIES: Physical Appearance White pearled lotion
Viscosity @ 25°C 7,100 cps

FORMULA 2

<u>COMPOUND</u>	<u>% WT.</u>
Water	31.0
COLONIAL SLES-2	57.7
COLA™ TERIC COAB	9.4
COLA™ LIPID SAFL	1.4
Sodium Chloride	<u>0.5</u>
TOTAL	100.0

PROCEDURE: Mix ingredients together. Adjust pH down to 5.0 with 50% citric acid. Add fragrances, color and preservatives as required.

Formula 102

Last Modified 06/14/2005

WARRANTY

Colonial Chemical guarantees that products meet published specifications. No other warranties or guarantees are expressed or implied because the use of this material is beyond the control of Colonial Chemical.