

HAND LOTION

	<u>COMPOUND</u>	<u>%</u>
Part I.	COLA™ LIPID ST	2.50
	PEG 600	2.00
	Glycerin	3.00
	Steareth-20	0.30
	Methyl Paraben	0.25
	Water	83.50
	Part II.	Steareth-2
Mineral Oil		2.50
Isopropyl Isostearate		2.00
Cetearyl Alcohol		2.00
Dimethicone		1.00
Propyl Paraben		0.25
	Total	<u>100.00</u>

PROCEDURE:

Prepare each phase separately and heat with mixing to 70½°C. Add the oil phase to the aqueous phase and continue to vigorously mix, without air entrainment, for 10 minutes. Stir cool to 45½°C, and add fragrance and color.

TYPICAL PROPERTIES:

Viscosity 250,000 cps

Formula 117

Last Modified 06/14/2005

WARRANTY

Colonial Chemical guarantees that its products meet published specifications. No other warranties or guarantees are expressed or implied because the use of this material is beyond the control of Colonial Chemical.