

LEAVE-IN HAIR CONDITIONER

<u>COMPOUND</u>	<u>%</u>
Water	90.2
Hydroxyethyl Cellulose	0.5
Glycol Distearate	1.5
Cetearyl Alcohol	1.8
COLA™ QUAT HRC	5.5
COLA™ LIPID SAFL	0.3
Methyl Paraben	0.1
Propyl Paraben	0.1
Total	<u>100.0</u>

PROCEDURE:

Charge water, slowly add hydroxyethyl cellulose with good agitation. Add remaining ingredients and heat to 65 – 70°C. Stir cool to blend 40°C and add fragrance, color, etc.

TYPICAL PROPERTIES:

Appearance	White pearled lotion
Viscosity	2500 cp
pH	5.6

Formula 101

Last Modified 06/14/2005

WARRANTY

Colonial Chemical guarantees that its products meet published specifications. No other warranties or guarantees are expressed or implied because the use of this material is beyond the control of Colonial Chemical.