

# TWO-IN-ONE SHAMPOO

---

<u>PHASE</u>	<u>COMPOUND</u>	<u>%</u>
A	Deionized Water	27.65
	NA <sub>2</sub> EDTA	0.10
A	Keltrol T (2% soln.)	20.00
B	COLONIAL SLES-2	40.00
C	COLA™ <sup>TM</sup> TERIC COAB	5.00
D	COLA™ <sup>TM</sup> MID CMA	3.00
E	ZENICONE XX (04165)	2.00
F	EGMS (Cerasynt M)	2.00
G	Belle Air Pantene Pro-V type 9856	0.20
H	Kathon CG	0.05
I	NaOH (20% soln.)	<u>0.00</u>
	<b>TOTAL</b>	<b>100.00</b>

## PROCEDURE:

Heat Phase A to 75C. Heat Phases B, C, D, E and F while maintaining 75C temp. Cool to 40C and add Phases G, H and I. Cool to room temp. and adjust pH to 5.5-6.5. Package.

Formula 183

Last Modified 07/5/2005

### WARRANTY

Colonial Chemical guarantees that its products meet published specifications. No other warranties or guarantees are expressed or implied because the use of this material is beyond the control of Colonial Chemical.