



# Cola<sup>®</sup>Cor 93


CLEARANCES: EINECS and TSCA

## DESCRIPTION

**Cola<sup>®</sup>Cor 93** is an *ashless, non-staining*, oil soluble corrosion inhibitor that provides long lasting rust protection, even under severe conditions, while passing most demulsibility requirements. **Cola<sup>®</sup>Cor 93** is ideal for use in rust preventatives, hydraulic oils, drawing compounds, rolling oils, and other industrial lubricants.

## PERFORMANCE DATA

### Humidity Cabinet Test (ASTM-D1735)



\*Registered Trademark of King Industries, Inc.

\*\*Registered Trademark of Witco Chemical Corp.

\*\*\*No rust at 8 weeks – Test terminated.

### **Stack Test**

In the standardized Stack Test on both galvanized and carbon steel panels, no staining was observed after three months.

### **Turbine Oil Rust Test (ASTM-D665)**

**Cola<sup>®</sup>Cor 93** passed at 0.1% (by wt.).

### Water Emulsifiable Rust Preventative

	% Wt.
100 sec. Naphtenic oil	75.0
Cola <sup>®</sup> Lube 3418 EPL (soluble oil base)	15.0
Cola <sup>®</sup> Lube 3402 CI (alkanolamide)	5.0
Cola <sup>®</sup> Cor 93	<u>5.0</u>
	100.0

## TYPICAL PROPERTIES

Chemical Description	Partial Amine Salt of a Substituted Carboxylic Acid
Appearance	Viscous, Amber Liquid
Specific Gravity (25°C)	0.97
% Activity	100
Acid #	70
Alkali #	36
Ash Content	0

---

LAST UPDATED 07/21/2006

### **WARRANTY**

Colonial Chemical guarantees that its products meet published specifications. No other warranties or guarantees are expressed or implied because the use of this material is beyond the control of Colonial Chemical.

### **Colonial Chemical, Inc.**

[www.colonialchem.com](http://www.colonialchem.com)

225 Colonial Drive  
South Pittsburg, TN 37380

Ph: 423-837-8800  
Fax: 423-837-3888

